SUBJECT INDEX

A

Abscisic acid, 64–65
  phytoalexin accumulation inhibition, 67
Acetaldehyde, 64
Acetobacter, 175
n-Acetylgalactosamine, 102
Acholeplasma laidlawii, 380–81
  from MLO-infected plants, 380
Acholeplasma spp., 381
  DNA analysis, 386
  on plants, 379–80
Acidic precipitation effects on vegetation, 397–420
  crop growth and yields in field, 409–11
  crop growth and yields under controlled environments, 408–09
  ecosystem effects, 413–15
    forest growth simulation model, 414
  effects on lower plants, bacteria and pathogens, 411
  effects on soil chemistry, 413
  influence on cell metabolism, 406
  influence on foliar gas exchange, 406
  inputs of materials into leaves, 403
    foliar fertilization, 403–04
  introduction, 497
  leaching of materials from foliage, 405–06
  legume-*Rhizobium* interactions, 413
  nature and origin of acidic substances, 398–99
    annual emission amounts, 422
    dry deposition, 398
    precipitation pH, 398–99
    wet deposition, 398
  overall evaluation effects, 415–16
  photosynthesis and respiration, 407
  precipitation interaction with leaf surfaces, 401–03
    contact angles, 401
    cuticular pores, 401
    cuticule permeability, 402
    precipitation chemistry change, 403
    selective uptake, 402
  regional variation in acidity, 399–400
    dew, 400
    precipitation rates, 400
  seed germination and seedling emergence, 407–08
  visible foliar injury characteristics, 404–05
    gall formation, 405
Adenylate cyclase, 276
Aging process, 190–91
Agrobacterium tumefaciens
  agrocin, 181
  host attachment, 279–80
  Ti plasmid, 181
  useful enzymes, 181
Agrobacterium spp., 181
  ambilaterial harmfulness, 180
  curdlans production, 181
Agrocin, 181
Air pollutant mixtures and plant responses, 421–42
  air quality system, 422
    monitoring, 423
    pollutant deposition and uptake, 423
    source and emissions, 422
    transport and transformation, 422–23
  mode of action, 434
    metabolic function, 435–37
    stomate function and pollutant uptake, 434–35
  plant injury, growth, and yield, 423–24
    joint action concept, 424
    ozone and nitrogen dioxide, 430
    ozone and sulfur dioxide, 424–30
    ozone, sulfur dioxide, and nitrogen dioxide, 432–34
    sulfur dioxide and nitrogen dioxide, 430–32
    visable foliar injury, 424–26
  summary and general remarks, 437
Aldicarb, 350
Allington, Bill, 32
Alternaria
  alternaria f. sp. *lycopersici*
    toxin, 292, 294–95, 298
  mali
    host-selective toxin, 288–89, 293, 297
    tentoxin, 232
    toxin analogs, 291
  tenuis
    tentoxin, 231
1-Amido-2-ethylcyclopropane-1-carboxylic acid, 222
1-Aminocyclopropane-1-carboxylic acid synthetase, 64
δ-Aminolevulinic acid, 222–23
L-2-Amino-4-methoxy-trans-but-3-enoic acid, 237
2-Amino-8-oxo-9,10-epoxydecanoic acid, 289
Aminotriazole, 336
Amitrol, 336
Ammonia, 220
cAMP, 99, 276
Andersons, the Maxwell, 25
Aphelenchoides fragariae, 102
Apple powdery mildew, 139
  severity rating analysis, 141
Apple scab, 137–38
  severity ratings analysis, 141
Arachidonic acid, 286
Archaebacteria, 371
Arginine, 228
Armillaria mellea
  break-out pattern, 207
Arthrobotrys oligospora
  nematode recognition, 102
Arunja angustifolia
  flagellate symptoms, 122
Asclepiadiaceae
  flagellate hosts, 118
Asclepias curassavica
  flagellate
    infection, 121
    pathogenicity, 122
Asclepias spp., 126
Asparaginase, 181
Aspartate carbonoyl-transferase, 294–95, 298
Aster yellows disease
  cause, 382–83
  causal agent, 386
ATP
  air pollutant mixture effect, 436
Atrazine, 452
  effect on mycorrhiza, 345, 350
Avocado black streak
  detection, 160
Azalea flower spot, 25

B

Bacillus
  brevis
    pH effect on flagellar movement, 411
  subtilis
    rRNA operon, 371
Bacterial blight of rice, 5
Bacterial leaf streak disease of rice, 4
Barley stripe mosaic virus, 91
  description, 79
  maize
    aberrant ratio, 85
    infection, 80
    mutations, 77, 81, 83
  mutations in maize, 77
Barley yellow dwarf virus
  detection through dsRNA analysis, 158
Benomyl
  mycorrhizal fungus suppression, 335
  mycorrhizal inoculation of pines, 353
Berecynthus delirator, 125
Bifenox, 345
Biocide
  effects on mycorrhizal fungi, 337
    ectomycorrhiza formation, 340
    in culture, 333
    spore formation, 341
    zygomycetous mycorrhiza formation, 341
Bipolaris maydis
  fitness and virulence, 453
Black pineleaf scale, 253
Botrytis fabae, 70, 142
Braun, Armin, 32
Buddenhagen, I. W., 6
Burkholder, Walter H.
  more rational generic assignments for bacteria, 173–74

C

Caenorhabditis
  briggsae, 103
  elegans, 103–04
    attraction to bacteria, 96, 107
    attraction to fungi, 105
    chemoreceptor types, 110
    chemotaxis, 99–100, 105
    chemotaxis disruption, 106–07
    fungi attachment, 102
Calcium
  chitosan caused leakage, 285
  leaching from leaves, 405
Callose
  phloem necrosis of coffee, 123–24
Caniffs, the Milton, 25
Carbamyl phosphate, 229
CARNA-5, 156–57, 163
Cellulase, 386
Ceratocystis
  fimbriata
    spore agglutination factors, 381–82
  ulmi
    barrier zone in infected oak, 197
    cerato-ulmin, 237
    disease progress, 206
Cerato-ulmin, 237
  Dutch elm disease involvement, 238
  structure, 237–38
Cercospora arachidicola, 70
Cercosporidium personatum, 70
Cercosporin, 58
Chalcone synthase, 67
Chariesterus cuspidatus, 120
Childs, J. F. L., 25
Chitin, 297
Chitinase, 65
Chitosan, 65, 284–85, 297
Chlamydocin, 289
m-Chloro-benzohydroxamic acid, 63
Chloroplast
  injury
    abscisic acid release, 65
    membrane, 58
    pathogens, 60
    pollutants, 60
    temperature, 59
    water stress, 59–60
Chloroplast coupling factor 1, 233–34
Chloroplast coupling factor proteins, 58, 60–61
Chlorotoluron, 345
Cholera toxin, 276
Chondrilla juncea
  biocontrol, 445, 450
Christensen, J. J., 11, 15
Citrulline, 229
Citrus greening disease, 363
Citrus stubborn disease
  spiroplasma discovery, 362
  see also *Spiroplasma citri*
Citrus tristeza virus
  dsRNA
    analysis, 156–57
    isolation, 152
Cladina stellaris
  pH effect, 412
Cladosporium fulvum, 286
Closteroviruses
  dsRNA, 159
Clostridium, 175
Clover club leaf organism, 363
  observation, 386
Clover phyllody, 385–86
Coconut lethal yellowing, 380
CODIT, 208
  conceptual compartmentalization model, 201–02
Coffee phloem necrosis, 116, 127
  forms, 123
  protozoa form, 117
  symptoms, 123
  temperature effect, 124
  vectors, 124
Coffee rust, 137–38
Colletotrichum lagenarium, 68
Compartmentalization
  see Tree compartmentalization in growth and defense
Concanavalin A, 101, 104–07, 280
Corn lily fleck virus, 80
Corn stunt organism, 366, 368, 374, 381
  detection, 385
  host range, 367
  spiroplasma discovery, 362
  transmission, 367
N-Coronafacoylisoleucine, 223
N-Coronafacoylvaline, 223–25
Coronatine, 238
  biological activity, 221
  biosynthesis, 223
  mode of action, 222
  presence in plant, 221–22
  production, 221
  structure, 221
Cotylenins, 58
Crithidia oncopelti, 127
Cronartium fusiforme
  pH effect on telia number, 412
  reaction parenchyma in host, 200
  resistance zone, 201
Crown gall
  proline accumulation, 66
Crown rust of oats, 446, 457
Cryphonectria parasitica
  compartmentalization, 205
Cucumber mosaic virus
  dsRNA, 156–57
    disease symptoms, 163
    satellite, 162
Curdlans
  use, 181
Currant rust, 137–38
Curly top virus, 375–76
Cuticle
  acidic precipitation

penetration, 401–02
permeability, 402
erosion, 402
pores, 401

D

2,4-D, 345
Dactylaria candida
nematode attack, 102–03
DBCP, 350
Dehydroshikimate reductase, 62
2-Deoxyglucose, 1-2
Dicarboximides
effect on mycorrhizal fungi, 343
Dichloropropene, 350
Dicranocephalus agilis
flagellate vector, 120
Diptheria toxin, 276
Disease incidence and severity relationships, 133–50
concept definition, 133–36
sampling unit, 135
severity explanation, 134–35
temporal aspects, 136
terms, 134
conclusions, 148
current developments, 137
aggregation measurements, 141–42
correlation and regression methods, 137–39
multiple infection methods, 139–40
future trends, 142–44
historical development, 136–37
introduction, 133
proofs of relationship, 146–48
study design, 144–46
Disease resistance
polymorphism, 449
Dithiocarbamates
effect on mycorrhizal fungi, 343
Ditylenchus destructor, 102
DNA
MLO, 386
hybridization, 380, 386–87
replication and cell division spiroplasma, 369
cDNA, 91
DNA polymerase, 370
Dobroscky, Irene, 24
Durable resistance
see Resistance that is durable

E

Ectomycorrhiza
formation
fungicide effects, 346–47
herbicide effects, 348
insecticide effects, 351
nematocide effects, 351
Eide, Carl, 14
ELISA, 368, 383, 387
spiroplasma
detection, 376, 385
relationships, 381
Endogonaceae
biocide effects on spore formation, 341
fungicide effects on spore formation, 344
herbicide effects on spore formation, 348
insecticide and nematocide effects on spore formation, 351
Endothia parasitica, 449
dsRNA analysis, 161
Environmental stress injury and disease physiology interaction, 53–75
abiotic stress-biotic disease physiology interaction, 66–67
impaired recovery, 69–70
increased strain and indirect injury, 68–69
resistance to biotic stress, 67–68
conclusions, 71–72
direct injury nature, 55–56
chloroplasts, 58–61
membranes, 56–58
mitochondria, 61–63
plasma membranes, 55–56, 58
introduction, 53–55
stress, strain, and injury relationships, 54
stress metabolites, 63
compatible solutes, 66
ethylene role, 65
stress indicators, 63–65
stress proteins, 66
Epistemological primacy, 180
Erwineae
nomenclatural insularity, 172–73
Erwinia herbicola
ambilateral harmfulness, 180
Erysiphe
betae, 60
fischeri, 70
graminis, 140
race-specific resistance genes, 316–17
graminis hordei, 60–61
Escherichia coli, 96, 106, 110, 227
growth model, 369
phaseolotoxin assay, 228
rifampicin inhibition, 371
rRNA operons, 371–72
spiralin cistron expression, 372–73
Ethane
stress indicator, 63
cell death and production, 64
Ethanol, 64
Ethylene, 67, 223, 237
defense function, 65
production
coronatine stimulation, 222
stress indicator, 63
production, 64
Euphorbia
cereiformis, 126
characias, 127
hirta, 122
lasiocarpa
flagellate location, 119
pilulifera
flagellate infection symptoms, 122
mechanical flagellate transmission, 119
pinea, 127
flagellate infection, 122
prostata, 122
segetalis
flagellate symptoms, 123
Euphorbiaceae
flagellate hosts, 118
Exferabilum turcicum, 325
maize resistance, 314–16
Exocortis
beneficial effect, 453

F

Ferguson, Margaret, 23
Flax rust, 252
FORTNIT forest nitrogen model, 414
Fungicide
effect
on ericoid and ectomycorrhiza formation, 342–43
on mycorrhizal fungi in culture, 333
spore formation by endogonaceae, 344
zygomycetous mycorrhiza formation, 346–47
Fusarium
solani f. sp. *phaseoli*, 285
solani f. sp. *pisi*, 285
Fusicoccin, 57–58, 61, 234

G

Gaeumannomyces graminis, 70
Galactose
  nematode recognition, 102–03
Galacturonic acid, 281
Gene-for-gene hypothesis, 252–54, 256, 264, 273
Gene-for-gene relationships
  durable resistance, 313–14
  maize resistance to *Exferabilum*, 314–16
  pathogen fitness, 452–53
Genetic interaction between viruses and plants, 77–79
  aberrant ratio, 83–92
    characteristics, 85
    controlling elements, 88, 90–91
    masked alleles, 88–89
    mechanism, 91
    other causes, 86
    phases, 84
    problems, 84–85
  implications, 92
  mutations associated with virus infections, 80–83
    diagrammatic representation, 82
  pertinent maize genetics, 78–79
    al loci, 79
  speculations and conclusions, 89
  viruses, 79–80
Geotrichum candidum, 236
Gill, D. L., 25
Globodera rostochiensis, 104
β1-3 Glucanase, 65
Gluconobacter, 175
Glucose, 332
Glutamate dehydrogenase, 436
Glutamate oxaloacetate transaminase, 436
Glutamate-pyruvate transaminase, 436
Glutamine synthetase, 219–20, 436
Glyceollin, 65
  accumulation, 282, 284
  suppression, 283
Glycine-betaine, 66
cGMP, 99
Goto, Masio, 4–5
Green petal disease of strawberry, 385
Guanosine triphosphate, 276

H

Halobacterium halobium
  rRNA operon, 371
  RNA polymerase, 371
Hamilton, Laura Mae, 18
Hartrot of coconut, 127
  bacteria association, 125
  geographically, 124
  spread, 125
  symptoms, 124–25
  vectors, 125
Hayes, Helen, 25
Heartrot
  compartmentalization, 203–04
  definition, 203
  hollows, 204
Helicotylenchus multicinctus, 103–04
Helminthosporium
  carbonum
    host-selective toxin, 289–90, 296
    membrane injury, 57–58
  maydis
    toxin, 58, 63
  maydis race T
    toxin, 292–96
    toxin gene, 295
  sacchari
    host-selective toxin, 291–94, 297
  victoriae
    host-selective toxin, 288, 297
    toxin, 58
Herpetomonas, 126–27
Helt, Phila, 21
Herbicides
  effects
    ectomycorrhiza formation, 348
    mycorrhizal fungi, 345, 349–50
    mycorrhizal fungi in culture, 334
    spore formation in Endogonaceae, 348
    zygomycetous mycorrhiza formation, 349
Hm 9 virus, 156–57
Honey bees
  spiroplasma diseases, 367, 378–79
    DNA polymerase, 370
    pathogen group, 368
    speciation, 369
Host-pathogen coevolution model, 258
Host resistance concepts, 247–72
  approaches, 248–49
  biological comparisons between pathogen and arthropods, 258–60
  conclusion, 266–67
  definitions, 249
  epidemiological concepts, 256–57
  gene management and deployment, 254–56
    multilines, 255–56
  generalization, 248
  genetic concepts, 252–54
    general resistance, 252
    specific resistance, 252
  homeostasis, 248
  mechanistic concepts, 257–58
  methods, 260–61
    procedures, 261
    resistance compatibility with agricultural factors, 264–65
    resistance durability, 265–66
    resistance heritability, 263–64
    resistance identification, 261–63
    resistance incorporation in agricultural plants, 265
  phylogenetic and biogeographical concepts, 251–52
  role in agriculture, 266
Host-selective toxins, 288–95, 297–98
  A. mali, 288–89, 291, 297
  chlamydocin, 289
  H. carbonum, 289–91
  H. maydis race T, 292–95
  H. sacchari, 291–92, 294
  P. circinata, 297
  P. maydis, 293–95
  specificity vs. toxicity, 291
  victorin, 288, 297
Hydrogen fluoride, 60
Hydroxyproline-rich glycoprotein pathogen binding, 281
Hypersensitive response, 274, 286, 313

I

Iecosapentaenoic acid, 286
Indole-3-acetamide, 230
Indole-3-acetic acid, 222
  virulence factor of *Pseudomonas*, 230–31
Infectivity titration with phytopathogenic bacteria, 35–52
  basic principles
    application contexts, 35–37
    dose-response relationship, 37–38
    infectivity titration concept, 35
    virulence vs. host resistance, 36
  birth-death model applicability, 45–46
  birth-death models, 43–45

general models
complete susceptibility notion, 38
independent action hypothesis, 39–40
independent action hypothesis verification, 41–42
individual effective dose hypothesis, 39–40
partially susceptible hosts, 39–41
model applicability, 42–43
two-stage model applicability, 46
two-stage models, 46
perspectives, 47–48
Insecticides
effects
ectomycorrhiza formation, 351
endogonaceae spore formation, 351
mycorrhizal fungi, 350
mycorrhizal fungi in culture, 335
zygomycetous mycorrhiza, 352
International blast nurseries, 10
International Rice Research Institute, 1–2, 4–5, 9–10
Invertase, 283
Isoleucine, 223–25

K

Kievitone, 67
Kresek, 4–5

J

JABAWA forest growth model, 414
Johnson, James, 27–34
early work
potato viruses, 30
temperature and symptoms, 29–30
TMV, 29–30
tobacco diseases, 29
major professor, 32
virus nomenclature, 27, 30–31
Jones, L. R., 29

L

Lectin, 107–09, 278
nematode chemotaxis, 101
nematophagous fungi, 102–03, 105
Pseudomonas agglutination, 280–81
Rhizobium binding, 277
Lettuce big vein, 160
Lettuce speckles mottle, 160
Light
chlorosis-induction by phaseolotoxin, 230
Lignin, 68
Limulin, 101, 105
Lincus spathulinger, 124
Lincus spp., 126
croupius, 125
stylinger, 125
Phytomonas vector, 128
Ling, K. C., 4
Linolenic acid, 70
Lipopolysaccharide, 280
Lubimin, 67, 286
Luteoviruses
detection, 158
Lygaeus kalmii
flagellate transmission, 122

M

Macropygium reticulare, 125
Macrosteles fascifrons
spiroplasma transmission, 375
Magnesium
leaching from leaves, 405
Maize
resistance to *Exferabilum*, 314–16
see also Genetic interaction between viruses and plants
Maize bushy stunt, 367
Maize dwarf mosaic virus
description, 80
Maneb, 25
Mannose, 104–05, 110
Mannosidase, 101, 107, 110
Marchitez of oil palm, 127
description, 126
Marsilea vestita
pH effect, 412
Massey, Louis, M. 23
Maximiliana maripa
hartrot reservoir, 125
Melampsora
laricipopulina, 326
lini
gene-for-gene relationship, 313
medusae, 326
Meloidogyne
incognita, 95
fungi attachment, 102, 104
javanica, 103–04
Mentek, 2, 4
cause identification, 3
Meria coniospora, 97, 109
attachment to nematodes, 97–98, 102
recognition mechanism, 103–04
reduction, 107
specificity, 99
Metam-sodium, 337
Methanobacterium, 175
α-Methyl-D-mannose, 282
α-Methyl-D-mannoside, 107
Micrococcus roseus
Phytomonas association, 125
Microsphaera alphitoides, 69
Mitochondria
injury
pollutants, 63
temperature, 62
Monoclonal antibodies, 387
Monosialoganglioside, 276
Multilines, 255–56
dispersal strategy, 450
Mushrooms
pesticide effects, 336
Mycoplasma gallisepticum
DNA replication and cell division, 369
Mycoplasma-like organisms, 363
apple proliferation, 380
definition, 362
DNA hybridization, 386–87
dual infection with spiroplasma, 374
historical aspects and definitions, 361–63
infection with spiroplasma, 382–84
spiroplasma multiplication, 384
on plant surfaces, 377–78
purification and characterization, 384–87
detection, 385
immunosera, 385–86
relation to other mollicutes, 380
Mycoplasma spp.
discovery of phytopathogenicity, 174
DNA analysis, 386
on plants, 379–80
Mycorrhizal fungi reaction to pesticides, 331–59
conclusions, 352–53
fungicides effects, 337, 339–40, 343–45
ericoid and ectomycorrhiza formation, 342–43
systemic translocatability, 344
zygomycetous mycorrhizae formation, 346–47
general biocides effects, 337
ectomycorrhiza formation, 340
spore formation by endogonaceae, 341

zygomycetous mycorrhiza formation, 341
general considerations, 332, 335–37
biocide effects on fungi in axenic culture, 333
effects on wild mushrooms, 336
fungicide effects on fungi in axenic culture, 333
herbicide effects on fungi in axenic culture, 334
host injury, 332, 335
insecticide and nematicide effects on fungi in axenic culture, 335
multiple nomenclature, 336–37
pesticide persistance, 335–36
herbicides effects, 345, 349–50
ectomycorrhiza formation, 348
endogonaceae spore formation, 348
zygomycetous mycorrhizae formation, 349
introduction, 331–32
nematicide and insecticide effects, 350
ectomycorrhiza formation, 351
endogonaceae spore formation, 351
zygomycetous mycorrhiza formation, 352
synonyms and trade names of pesticides, 338–39

N

Napropamide, 345
Nash, Professor, 11
National Atmospheric Deposition Program, 399
Nectria coccinea var. *faginata*
compartmentalization, 205
Nelson, R. R., 9
Nematocides
effects on mycorrhizal fungi, 350
ectomycorrhiza formation, 351
endogonaceae spore formation, 351
in culture, 335
zygomycetous mycorrhiza, 352
Nematode chemotaxis and host/prey recognition, 95–113
behavioral modification
disruption of chemotaxis, 106
intervening in binding/attachment, 107–08
intervening in chemotaxis, 105–07
intervention in mating, 108
chemotaxis, 96
attraction to nematophagous fungi, 97
bacteriophagous nematodes, 96–97
hypothesis, 100–01
plant parasitic nematodes, 96
receptor capping effect, 101
sensillae and chemoreception, 99–101
sex attraction, 97–99
introduction, 95–96
specificity evidence
galactose residues, 102–03
mannose/glucose residues, 104–05
nematode/nematophagous fungi recognition, 102
other systems, 105
sialic acid residues, 103–04
summary, 109–11
Nematophagous fungi
nematode
attraction, 97
recognition, 102–05
Neoaliturus
haematoceps
spiroplasma spread, 376
tenellus
MLO transmission, 382
spiroplasma transmission, 375–76, 382
Neoaplectana carpocapsae, 97
Neuraminidase, 101
New host-new species concept, 176
Nippostrongylus brasiliensis, 110
pheromone communication, 99
disruption, 108
Nitrate reductase, 436
Nitrite reductase
air pollutant mixture effect, 436–37
Nitrogen
leaching from leaves, 406
Nitrogen dioxide, 421, 438
effect on plant growth
metabolic function, 436
ozone and sulfur dioxide interaction, 432–34
ozone interaction, 430
sulfur dioxide interaction, 430–32, 436
emissions, 422
Nuclease
activity reduction for dsRNA isolation, 152
Nysius euphorbiae
flagellate vector, 120

O

Oncopeltus
famelicus
flagellate vector, 120–21
fasciatus
flagellate transmission, 122
flagellate vector, 121
Ornithine, 225, 228–29
Ornithine carbamoyltransferase, 228, 230
inhibitors, 228–29
Orotate, 294
Oswald, John, 18
Ozone, 66, 68, 421, 423, 437–38, 453
additive injury
virus infection, 69
chloroplast injury, 60
emissions, 422
membrane injury, 57
monitoring concentrations, 423
nitrogen dioxide interaction, 430
sulfur dioxide and nitrogen dioxide interaction, 432–34
sulfur dioxide interaction, 424
effect on growth and yield, 425–30
foliar injury, 424–26
generalizations, 430
responses of selected plants, 428–29
stomatal resistance, 435

P

Pachybrachius bilobata scutellatus
flagellate vector, 120
Panagrellus
redivivus, 96–97, 99, 103, 106–07
Arthrobotrys adhesion, 102
attraction to nematophagous fungi, 97, 105
food finding, 105
Meria attachment, 102–04
Panagrellus, 98
silusiae
pheromones, 99
Pathogens roles in natural plant communities, 443–66
disease, loss, and survival, 454–56

damage evaluation, 455
interrelationships among environmental factors, 454
selection pressures, 456
effects on plant communities, 446–47
beneficial effects of pathogens, 453–54
diseases escape in space, 447
diseases escape in time, 447–48
need for and cost of resistance, 452–53
pathogen-mediated plant competition, 450–51
plant communities diversification, 448–50
species distribution in ecosystem, 451–52
epidemics in the wild, 445–46
genetic-ecological studies on diseases, 462–63
growing interest in diseases in wild
biocontrol agents search, 445
disease resistance search, 444
epidemics in beneficial wild populations, 445
epidemics in wild populations, 445
inoculum, new biotypes, and new diseases sources, 444
mycologists curiosity, 444
search for defense strategies, 444–45
host range in agroecosystems and natural ecosystems, 460–61
host range extension, 461
hybrid pathogens, 460–61
symptomless carriers, 461
introduction, 443–44
lessons in relation to agricultural practices, 463
natural populations structure, 456–60
generation duration, 459–60
host age composition, 459
pathogens virulence and ecological conditions, 458
proportion of resistant plants, 459
natural reserves, 461–62
Pathovar
definition, 177
problems, 177
PcV virus, 156–57
Pear decline
causal agent, 386
cause, 382
Penicillin, 361–62
Penyakit merah, 2–3
identification of cause, 3
Peptide permease, 227
Pergularia extensa
Phytomonas, 121
Periconia circinata
toxin, 297
Person/Habgood differential interaction, 254
Pesticides
see Mycorrhizal fungi reaction to pesticides
pH
effects
lichens and ferns, 412
plant diseases, 412–13
prokaryotes survival, 411
precipitation, 398–99
buffering capacity of leaf surfaces, 403
crop growth and yields, 408–11, 415
cuticle penetration, 402
nutrient leaching from leaves, 405–06
penetration into leaves, 403
photosynthesis alteration, 407
regional variation, 399–400
seedling emergence, 407
visible foliar injury, 404–05
Phaseollin, 67
Phaseolotoxin
analogues, 227
assay, 228
chlorosis induction mechanism, 230
effect on plants, 225
[illegible] accumulation, 225
mode of action, 228–30
peptide cleavage, 227
production, 225–26
structure, 226
uptake, 227
Phellinus pini
canker rot and compartmentalization, 204
infection pattern, 205
rot spread, 203
Phellogen, 205
Phenylalanine, 62
Phenylalanine ammonia lyase, 65, 67
Phenylalanine lyase, 282
Phloem necrosis of coffee
callose, 124
forms, 123
symptoms, 123
temperature effect, 124
vectors, 124
Phormia regina, 101
Phosphofructokinase, 62
Phospholipases, 57
Photophosphorylation, 58–59
Photosystem II
injury, 59–60
Phyllosticta maydis
host selective toxin, 293–95
Phytoalexins, 62, 65, 67, 274, 287, 297, 454
induction, 282–86
Phytobacteriology development landmarks, 169–88
ambilateral harmfulness, 179–80
bacteria cause plant disease, 170–71
biochemistry, molecular biology, and genetics, 178
Burkholder, Walter H., 173–74
disciplinal insularity, 171–72
epistemological primacy, 180
importance to industry, 180
introduction, 169–70
nomenclatural insularity, 172–73, 180
phytopathogenic prokaryotes diversity, 174–75
problematic nomenclature at the subgeneric level, 175–77
host specificity, 176–77
pathovar definition, 177
pathovar problems, 177
Smith, Erwin Frink, 171–73
whither, 182
Phytomonas
davidi, 127
elmassiana, 122
Phytomonas, caused diseases, 115–32
classification, 116–17
conclusion, 128
insect vectors
epidemiology, 121–22
species, 119–21
transmission mechanism, 121
intraphloemic *Phytomonas*, 123
hartrot of coconut, 124–25
marchitez of oil palm, 126
phloem necrosis of coffee, 123–24
introduction, 115–16
in vitro culture, 126–28
latex plant flagellates, 118
hosts, 118
infection in the plant, 118–19

mechanical transmission, 119
morphology and structure, 117
host influence, 118
pathogenicity, 122–23
Phytophthora
cinnamomi
compartmentalization, 207
diversified plant communities damage, 449, 451
effect on host distribution, 451
epidemics and ecological imbalance, 446
infestans, 137
genetic control of resistance, 312–13
phytalexin accumulation, 286
resistance types, 314
megasperma var. *glycinea*, 299
glyceollin accumulation, 282, 284
glycoprotein and race specificity, 283
surfaces and phytoalexin accumulation, 297
parasitica
hydroxyproline-rich glycoprotein, 281
Phytuberin, 67
Phytuberol, 67
Pierce's disease of grapevine, 175
Pine
mycorrhizal inoculation success enhancement, 353
Pine fusiform rust, 449
Pisatin, 285
Plasma membrane
injury, 56–57
effect on other membranes, 55
toxins, 58
Plasmids
sequences in spiroplasma, 372
Pollen-style interaction, 278–79
heterosis model, 278
Polygalacturonic acid, 279–80
Polyphenol oxidase, 233–34
Potassium
leaching from leaves, 405
Potato virus X, 30, 68
Powdery mildew of barley, 255, 446, 458
effect of shade, 458
Pratylenchus penetrans, 102
Precipitation
see Acidic precipitation effects on vegetation
Proline
accumulation during stress, 66
Protease K, 155
Protozoa
promastigote form, 117
see also *Phytomonas*, caused disease
Pseudocercosporella herpotrichoides
durable resistance, 325
Pseudomonas
aeruginosa
ambilateral harmfulness, 179
andropogonis
uncharacterized toxin, 238
angulata, 218
cepacia
ambilateral harmfulness, 179
glycinea
phytoalexin accumulation, 283–84
phaseolicola
acidic rain effect, 412–13
pisi
binding, 280
solanacearum
host binding, 280
syringae pv. *atropurpurea*
N-coronafacoylvaline, 223–24
coronatine, 221, 224
syringae pv. *glycinea*
N-coronafacoylisoleucine, 223
coronatine, 221
syringae pv. *mori*
uncharacterized toxin, 238
syringae pv. *morsprunorum*
coronatine, 223
syringae pv. *phaseolicola*, 45–47
chlorosis induction, 230
halo-less mutants, 226
host range, 225
phaseolotoxin, 225
phaseolotoxin analogues production, 227
self-protection from phaseolotoxin, 229
symptoms, 225
syringae pv. *pisi*, 43
syringae pv. *savastanoi*
indole-3-acetic acid, 230–31
syringae pv. *syringae*
syringomycin, 236
syringotoxin, 236
syringae pv. *tabaci*
sensitivity to tabtoxin, 220–21
tabtoxin, 218, 220
toxin minus mutants, 220
syringae pv. *tagetis*
host range, 235
tagetitoxin, 234–36
syringae pv. *tomato*
coronatine, 223, 238
uncharacterized toxin, 238
tomato
coronatine, 223
PsV virus, 156–57
Puccinia
chondrillina
skeleton weed control, 450
graminis, 255
genetic analysis of resistance, 320
incomplete resistance, 321
pathogenicity levels and resistance genes, 320
resistance, 322
resistance durability, 311
resistance gene Sr 2, 323–24
resistance gene Sr 36, 324
slow rusting and resistance genes, 321, 323
graminis avenae
fitness and virulence, 453
graminis f. sp. *tritici*
durable resistance, 321
graminis tritici, 68
helianthi, 69
hordei, 140, 314
specialization of physiological forms, 361
polysora, 325
resistance genes importance, 452
recondita, 140, 325
host resistance durability, 266
race-specific resistance, 327
sorghi, 314, 325
striiformis, 314
chitosan accumulation, 285
durable resistance in wheat, 324–25
residual effects of race-specific resistance genes, 318–20
resistance accumulation by segregation, 327
slow rusting, 321
Putrescine, 66
Pyricularia oryzae
horizontal resistance, 8
physiologic races, 6–9
variability, 7
Pyruvate kinase, 62

R

Reaction parenchyma, 200
Recognition role in plant disease, 273–307
biological precedents, 275–76
analogies from plant systems, 277–79
biochemical evidence, 276–77
lectin binding, 277–78

pollen-style interaction, 278–79
current models, 274–75
elements, 274–75
recognition, 275
discussion, 296
compatibility, 298–99
gene expression in resistance, 301
host-selective toxins, 297–98
variability in disease reaction, 299–300
host-selective toxin, 288
A. mali, 288–89, 291
chlamydocin, 289
comments, 295–96
H. carbonum, 289–91
H. maydis race T, 292–93
H. sacchari, 291–92
interaction with host components, 294–95
P. maydis, 293–94
victorin, 288
introduction, 273–74
definition, 273
summary, 301–2
wall and cell surface components, 279
bacterial adherence to host, 279–81
comments, 287–88
macromolecules in tomato, 286–87
phytoalexin induction, 282–86
resistance suppressors, 286
spore agglutination factors, 281–82
Reiking, O. A., 4
Reitsma, J., 4
Reoviridae, 166
Resistance
see Host resistance concepts
Resistance that is durable, 309–30
breeding, 326–28
comments, 328
diverse examples, 325–26
genetic control, 312–13
gene-for-gene interactions, 313
gene Sr 2, 323–24
gene Sr 36, 324
maize resistance to *Exferabilum*, 314–16
P. striiformis, 324–25
residual effects of matched race-specific genes, 316–20
resistance to wheat rust, 320–21
slow rusting resistance, 321–23
Rhizobitoxine, 237
Rhizobium
japonicum
lectin binding, 277
rhizobitoxine, 237
trifoli
lectin binding, 277
Rhizobium spp.
legume interaction
acidic precipitation effect, 413
Rhizoctonia solani, 142
dsRNA analysis, 161
Rhizoecus coffeae, 124
Ribulose 1,5-bisphosphate carboxylase, 59–61
Rice cadang-cadang, 2
Rice diseases exploration
bacterial leaf stripe and kresek, 4–6
horizontal resistance bandwagon, 8–9
international approach
blast resistance, 9–10
introduction, 1–2
physiologic races of *Pyricularia*, 6–8
virus diseases, 2–4
Rifampicin, 371
Rishitin, 67, 286
RNA, 91–92
barley stripe mosaic virus, 79
dsRNA, Viral, 151–68
analysis application to virus detection
cryptic viruses, 159–60
different groups of viruses, 158–59
dsRNA in healthy plants, 158
viruses of a crop, 160
viruses of fungi, 160–61
conclusions, 163–64
advantage of dsRNA analysis, 164
isolation purification, and analysis
biological methods, 155
cloning and other methods, 157–58
enzyme digestion methods, 155
fractionation, 153
gel electrophoretic detection and analysis, 154
hybridization methods, 155–57
isolation from host, 152–53
purification, 153–54
serological detection and analysis, 154–55
virus-host interaction
disease symptomology, 162–63
virus replication and dsRNA role, 161
ssRNA, 155, 158, 161
RNA polymerase, 371
virus infected plants, 92
RNase, 155
Roots
compartmentalization, 207

S

Saccharomyces cerevisiae
killer phenomenon, 161
Salmonella typhimurium, 227
Scaphytopius
acutus
spiroplasma transmission, 375
nitridus
spiroplasma transmission, 375, 382
Schure, P. S. H., 4
Sclerospora graminicola
resistance, 326
Sclerotinia minor, 145
Sclerotium rolfsii, 136
Sensillum, 99–101, 104–5, 107
exudates, 110
Septoria nodorum, 139, 143
Serratia, 179
Shikimate kinase, 62
Sialic acids, 101, 105, 110
nematode
adhesion reduction, 107
recognition by fungi, 1, 3–4
Sialidase, 103, 107, 110
Simazine
effect on mycorrhiza, 345, 349
Smith, Erwin Frink, 172–73
phytobacteriology development, 171
Soil
acidic precipitation effect, 413
Spiralin
cistron expression in *E. coli*, 372–73
monoclonal antibodies, 387
Spiroplasma citri, 362–63, 387–88
detection with ELISA, 376, 385
genome size, 368
host range, 367
infection with MLO, 382–84
monoclonal antibodies, 387
natural transmission, 375–77
pathogen and model, 369
DNA polymerase, 370
gene mapping, 373
growth and division, 369–70
interaction with insect cells in culture, 374–75
plasmid sequences in other spiroplasmas, 372
rRNA operons, 371

spiralin cistron expression in *E. coli*, 372–73
viruses in plants and effects on symptoms, 373–74
relationship to MLOs, 380–81
temperature influence on symptoms, 384
Spiroplasmas, 175, 180
classification, 363–67
groups, 366
habitats, 366
table, 364–65
DNA
analysis, 386
hybridization, 366, 368–69
fibril protein detection, 381
group I
classification and pathogenicity, 368–69
genome size and G + C content, 368
origin and host, 367–68
relatedness, 368
historical aspects and definitions, 361–63
interaction of insect cells in culture, 374–75
on plant surfaces
group III, 378–79
group IV, 379
subgroup I-2, 378
subgroup I-6, 378
subgroup I-7, 378
P40, 377, 387
plasmid sequences, 372
relationship to MLOs, 381
Spores
agglutination factors, 281–82
Stomata, 401–02
function and pollutant uptake, 434–35
gas exchange
acidic precipitation effect, 406
Stakman, E. C., 11–19
epilogue, 19
football coach, 13
graduate days under Stakman, 14–15
later years, 18
Mexican connection, 16–18
rusted years, 15–16
Suberin, 200
Sulfate, 407
leaf penetration, 403
entry rate, 404
Sulfur
leaching from leaves, 406
Sulfur dioxide, 66, 70, 421, 438
chloroplast injury, 60
chronic injury, 68
deposition on earth, 399
effect
on crop yield, 409–10
on metabolic function, 436
on mitochondria, 62
emissions, 422
long-distance transport, 423
nitrogen dioxide interaction, 430–32, 436
ozone and nitrogen interaction, 432–34
ozone interaction, 424
effect on growth and yield, 425–30
foliar injury, 424–26
generalizations, 430
responses of selected plants, 428–29
stomatal resistance, 435
stomata opening, 434
Sulfuric acid
effect on forest ecosystem, 413–14
Symplast, 191
Syringomycin, 236
Syringotoxin, 236–37

T

Tabtoxin
effects on plant, 220
mode of action, 219–20
production, 218
structure, 219
symptom association, 219
Tabtoxinine-β-lactam, 218–19
Tagetitoxin, 234
effect on virulence, 236
production, 235
purification, 235
structure, 232, 235
Temperature
effect
phloem necrosis of coffee, 124
respiration, 61
spiroplasma helices in plants, 384
spiroplasma infection, 383
membrane injury, 56
phaseolotoxin production, 225
photophosphorylation injury, 58–59
proline accumulation, 66
Tentoxin, 61
Alternaria virulence, 231
mode of action, 232–34
structure, 232
Tetracycline, 361–62
Thiazoles
selectivity with reference to mycorrhiza, 340, 343, 353
Thiram, 336
Threonine, 224
Ti plasmid, 181
Tobacco mosaic virus, 29–32, 91
abscisic acid release, 65
dsRNA, 154
analysis, 156–59
virus cross-protection, 163
Tobacco necrosis virus
dsRNA, 156–57
satellite, 162
Tobacco ringspot virus
satellite dsRNA, 162
Tobacco streak virus, 69
Tomato big bud agent
observation, 386
Tomato mosaic virus
virus cross-protection, 163
Toxins, Non-host specific, 215–45
conclusion, 239
introduction, 215
relevance
cerato-ulmin, 237–38
coronatine, 221–23
coronatine biosynthesis, 223–25
fusicoccin, 234
indole-3-acetic acid, 230–31
phaseolotoxin, 225–30
rhizobitoxine, 237
syringomycin, 236
syringotoxin, 236–37
tabtoxin, 218–21
tagetitoxin, 234
tentoxin, 231–34
uncharacterized toxins
P. andropogonis, 238–39
P. syringae pv. *mori*, 238
P. syringae pv. *tomato*, 238
Tree compartmentalization in growth and defense, 189–214
bark, 207
barrier zones, 200–01
boundaries in heartwood and discolored wood, 203
boundary formation as a defense, 193–95
compartmentalization, 194–95
processes in bark, 193
processes in wood, 193
branches, 206
canker rots, 204–05
changes within sapwood boundaries, 202–03
CODIT compartmentalization model, 201–02
Dutch elm disease, 206
early studies of compartmentalization, 195–98
boundary concept, 195

concept, 196–97
electrophysiology, 208
extent and limitations of compartmentalization concept, 198
genetic control, 207
growth by compartmentalization, 190–93
barrier zone, 190–91
biological aging, 190–91
cambium response to wounding, 190
decay, 193
defense against injury, 192–93
heartrot and compartmentalization, 203–04
hollows and heartwood, 204
introduction, 189–90
perennial cankers, 205–06
practical significance, 208–09
cracks, 208
pruning, 208–09
problems in understanding compartmentalization, 198–99
two-part process, 199
reaction zones, 199–200
roots, 207
wound closure, 201
Tricholoma pessundatum
Vapam stimulation, 337
Trifolium subterraneum
mycorrhizal colonization inhibition, 335
Tryptophan monooxygenase, 231
D-Tryptophane, 100
Tungro virus, 2–4
Tylenchulus semipenetrans, 96, 103–04
control potential, 109

U

Uridine monophosphate, 294–95
Uromyces
fabae, 60
hordeastre
specialization of physiological forms, 461
phaseoli
acid precipitation effect, 413
Ustilago maydis
killer phenomenon, 161

V

Valine, 224–25
Valleau, W. D., 32
van der Meulen, J. G. J., 4
Vapam, 337
Verticillium
albo-atrum, 70
dahliae, 70
Vertifolia effect, 452
Victorin, 288
Viruses
cryptic, 159–60
spiroplasma, 373–74
see also Genetic interaction between viruses and plants

W

Waksman, Selman, 24
Wall-less prokaryotes, 361–96
conclusion, 387–88
double infection with spiroplasma and MLO, 382–84
group I spiroplasmas
classification and pathogenicity, 368–69
genome size and G + C content, 368
origin and host, 367–68
relatedness, 368
historical aspects and definitions, 361
MLO purification and characterization, 384–87
antisera, 385–86
on plant surfaces, 377–78
acholeplasma and mycoplasma, 379–80
spiroplasma group III, 378–79
spiroplasma group IV, 379
spiroplasma subgroup I-2, 378
spiroplasma subgroup I-6, 378
spiroplasma subgroup I-7, 378
S. citri as a pathogen and model, 369
DNA polymerase, 370
evolution, 371
growth and division, 369–70
interaction with insect cells in culture, 374–75
natural transmission, 375–77
plasmid sequences in other spiroplasmas, 372
rRNA operons, 371
RNA polymerase, 371
spiralin cistron expression in *E. coli*, 372–73
viruses in plants and effects on symptoms, 373–74
spiroplasma classification, 363–67
groups, 366
habitats, 366
table, 364–65
Water stress
apical meristem growth, 68
chloroplast injury, 58–60
disease interaction, 69
Westcott, Cynthia, 21–26
azalea flower spot, 25
clients, 24–25
Cornell University, 23–24
family farms, 21
honors, 25–26
partnership, 24
PhD, 24
professional societies, 26
publications, 25
Rose Day, 23, 26
Westcott, Stukely, 21
WF-3161, 289
Wheat
durable resistance eyespot, 325
durable resistance to rust diseases, 320–21
gene Sr 2, 323–24
gene Sr 36, 324
P. striiformis, 324–25
resistance genes, 321–22
slow rusting, 321–23
race-specific resistance, 327
Wheat streak mosaic virus, 81, 91
description, 80
Wheat stripe rust, 252
Whetzel, H. H., 23–25, 30

X

Xanthin gums
production, 180
uses, 181
Xanthomonas
campestris
xanthin gums, 180
campestris pv. *malvacearum*, 43
Xanthomonas sp.
kresek, 4
X-disease of cherry
cause, 382
Xiphinema index, 103

Z

Zineb, 25
Zygomycetous mycorrhizae
effect
fungicides, 346–47
general biocides, 341
herbicides, 349
insecticides, 352
nematocides, 352